

**INDEX MAPS.**

**T. 7 N R. 2 W 2<sup>nd</sup> Mer.**

	269	269	268	268	268	268	267
271	6	290	5	286	4	283	3
	290		290		286		279
					282		279
271	7	259	8	256	9	282	10
	290		289		285		282
							278
271	18	289	17	285	16	281	15
	291		288		285		281
							277
270	19	288	20	284	21	281	22
	291		288		284		280
							277
270	30	287	29	284	28	280	27
	292		287		283		280
							276
269	31	287	32	283	33	279	34
	264		264		264		263
							263

**T. 8 N R. 2 W 2<sup>nd</sup> Mer.**

	298	298	298	297	297	297
300	6	320	5	316	4	312
	320		319		315	
					312	
300	7	319	8	315	9	311
	320		319		315	
					311	
300	18	318	17	315	16	311
	321		318		314	
						310
299	19	318	20	314	21	310
	321		317		313	
						310
299	30	317	29	313	28	309
	321		317		313	
						309
299	31	316	32	312	33	309
	294		294		294	
						293

(P) The figures on the lines refer to the page.

Township No. 7. North Range No. 2 West 2<sup>nd</sup> Mer. Sec  
ch. the.

South Boundary

West 1<sup>st</sup> Mile on the South Boundary of Sec. 36. T. N.  
7. I. R. N. 2 W.

24.75 To a Walnut 30 in. dia. Stands on the line

40.00 To a W. Oak 36 in. dia which stands for the cor.  
to the 1/4 mi.

65.00 To a Sugar 18 in. dia. Stands on the line.

80.00 Set a post for the cor. to Sec. 35 & 36 T. N. 7. I.  
N. 2 W. from which a

Beech 16 in. dia. bears S 55° W. 3 miles west; to

Do 16 in. dia. N 65° E. 4 1/4 mi. -

Lands rich; timber Sugar, Walnut, Ash, Beech,

West 2<sup>nd</sup> Mile with South Boundary of sec. 35. T. N.  
7. I. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 mi. from which a  
Sugar 10 in. dia. bears N 56° W. 5 miles west to

Do 10 in. dia. S 86° E. 2 3/4 mi. -

69.00 To a W. Oak 18 in. dia. bears on the line.

80.00 To a W. Oak 24 in. dia. Stands on the line. On the  
cor. to Sec. 34, 135 T. N. 7. I. R. N. 2 W. from which  
Sugar 12 in. dia. bears N 53° E. 1 1/2 miles west; to  
lands on the last mile. April 2<sup>nd</sup> 1811

West 3<sup>rd</sup> Mile on the South Boundary of sec. 34. T. N.  
7. I. R. N. 2 W.

33.50 To an R. Oak 30 in. dia. Stands on the line.

40.00 Set a post for the cor. to 1/4 mi. from which a  
Beech 30 in. dia. bears S 54° E. 1 1/2 miles west; to

Do 20 in. dia. N 27° W. 1 1/4 mi. -

65.00 To a Brook 6 inches wide, lemma S. W.

80.00 Set a post for the cor. to Sec. 33, 134. T. N. 7. I. R.  
N. 2 W. from which a

W. Oak 18 in. dia. bears S 25° W. 3 1/2 miles west to

Sugar 14 in. dia. N 65° E. 2 1/2 mi. -

Lands good; timber Oak.

D. No 7 N. R. No 2 W. 2nd Mer. (Sud.)

West 4th Mile On the South Boundary of sec. 33. T.  
N<sup>o</sup> 7 N.R. N<sup>o</sup> 2 W.

15.00 Soap Brook 10 miles wide; Loma S.  
30.00 " " " 4 " " " " S.E.  
40.00 Set apart for the con. to 1/4 sec. from which a  
Beech 14 in. dia. tree N 4 E. 7 miles wide; two  
Sugar 9 " " " " N 81 W. 17 " "  
80.00 Set apart for the con. to sec. 32, 1/3 sec. I. N<sup>o</sup> 7 N.  
R. N<sup>o</sup> 2 W. from which a  
Beech 24 in. dia. tree S 6 E. 17 miles wide; two  
Sugar 8 " " " " N 67 W. 10 " "  
Lands hard and rich; Pinto Sugar, Bark  
Oak, & Ash, &c.

West On the 5th Mile South Boundary of sec. 32. T.

N<sup>o</sup> 7 N.R. N<sup>o</sup> 2 W.

25.00 Soap Spring Loma S.  
37.00 " " " " S.W.  
40.00 Set apart for the con. to 1/4 sec. from which a  
W. Oak 16 in. dia. tree N 43 E. 17 miles wide; two  
Beech 15 " " " " S 67 W. 31 " "  
60.00 Soap Brook 3 miles wide; Loma South.  
80.00 Set apart for the con. to sec. 31, 1/3 sec. I. N<sup>o</sup> 7 N.  
R. N<sup>o</sup> 2 W. from which a  
Gum 15 in. dia. tree S 87 W. 25 miles wide  
Beech 6 " " " " N 84 E. 31 " "  
Good Oak Lands;

West On the 6th Mile South Boundary of sec. 31. T.

N<sup>o</sup> 7 N.R. N<sup>o</sup> 2 W.

20.00 Soap Brook 3 miles wide; Loma South.  
25.00 " " Beech 18 in. dia. tree in the brook.  
40.00 Set apart for the con. to 1/4 sec. from which a  
W. Oak 24 in. dia. tree S 50 E. 25 miles wide; two  
Walnut 20 " " " " N 47 W. 24 " "  
60.00 Soap Spring Loma S.

O. N. 7. T. R. N. 277. 2<sup>nd</sup> Mar. (Ind.)

80.00 Sat a trap post for the cor. to Piney. 177° S  
6.6. T.R. 273 N. Went in search of the Range  
Line; tramped 3 miles South; hunted but could  
not find it quite off for the present.

## East Boundary

North On the East Boundary of sec. 36. T. N. 7. T. R. N.  
277. 2<sup>nd</sup> Mar.

3.00 To large spring to the East mine N.E.

6.00 To a Brook 3 miles east; course East.

30.00 up Do 6 m n n n

40.00 Sat a post for the cor. to 1/4 sec. from which a  
Beech 24 in dia bears 850 N. 20 miles west to  
129 26 m n - N 12 E 49 m n

80.00 Sat a post for the cor. to sec. 25, 136 T. N. 7.  
T. R. N. 277 from which a

Beech 18 in. dia bears N 87 W. 18 miles west to  
Do 14 m n g 88 E. 39 m n  
Hilly Oak Lands;

North On the East Boundary of sec. 25. T. N. 7. T. R. N.  
277. 2<sup>nd</sup> Mar.

40.00 Sat a post for the cor. to 1/4 sec. from which a  
Buckeye 18 in. dia bears N 97 W. 24 miles west;  
tiny Elm 18 a n - 846 W. 26 m n

80.00 Sat a post for the cor. to sec. 24, 125 T. N. 7. N.  
T. R. N. 277 from which a

Beech 18 in dia bears N 19 W. 11 miles west to  
Do 18 a n - 822 W. 42 m n  
Lands on the 1st 1/4 mile hilly; timber thick 2<sup>nd</sup>  
1/4 mile; timber Buck, Sycamore, Ash &c.

North On the East Boundary of sec. 24. T. N. 7. T. R.  
N. 277. 2<sup>nd</sup> Mar.

30.00 To the mouth of a draw facing the West & extending  
westward nearly straight; it is completely

## P.M.T. A.R. N° 2 W. 2nd Mer. (Ind.)

mched it on an average 6 feet high and .7 feet in width; We measured 300 links; and it appeared to extend in the same direction & to increase in size but for the want of a light we ventured no further; There is a fresh water Spring running from it.

- 40.00 Set apart for the cor. to 1/4 mi. from which a  
Buck 18 in. dia bears N 86 E. 11 links north; to  
10. 18 n. in. S 86 W 21 n. —  
\* 49.50 Top Brook 15 links north; Run East  
Is a Brook 15 links north; leaves S.E.  
80.00 Set apart for the cor. to lat. 13 1/2 N. T. M.P.  
W. P. 2 W. on the Bank of a Brook Open which  
a Sugar 12 in. dia bears N 29 E. 7 links north to  
an Elm 18 n. n. — N 85 W 31 n. —  
Lands on the 1st 1/2 mile Goods; Timber Buck, Pa-  
ge, and Ash; 2nd 1/2 mile Hickory and Larch  
Elm and Walnut;  
\* 60.75 S. a sugar 24 in. dia. in tree.

North On the East Branch of the 13. T. M.P. 7 A.R. N.  
2 W.

- 40.00 Set apart for the cor. to 1/4 mi. from which a  
Sugar 14 in. dia bears N 55 E 10 links north; to  
10. 16 n. n. — S 55 W. 15 n. —  
53.00 Is a Brook 15 links north; leaves S.W.  
66.00 Is a Sugar 10 in. dia stand in the tree.  
73.00 Top Brook - links north; leaves S.E.  
80.00 Set a post for the cor. to lat. 12 1/3 from which  
a Buck 36 in. dia bears N 50 E. 17 links north to  
10. 36 n. n. — N 80 W. 24 n. —  
Lands on the 1st 1/2 mile rock; 2nd 1/2 Sugar  
Buck & Oak, 2nd 1/2 mile rock down; good  
mill seats; and well timbered

North On the East Branch of the 12. T. M.P. 7 A.R.  
N. 2 W.

- 15.00 Is a Brook - links north leaves S.W.

J. N. T. N.R. No. 277. 2nd Mar. Ind.

- 22.00 To a Brook - hills side, Lemoa S. E.  
 34.00 " " " 20 " " " West.  
 40.00 Set apart for the cor. to 1/4 sec. from which a  
     Beech 36 in. dia. bears N 15° E. 14 miles dist; to  
     Do. 24 " " " S 5° E. 31. " "  
 47.00 To a Brook & hills side, Lemoa S. W.  
 77.00 " " 10 " " " " " S 6.  
 80.00 Set apart for the cor. to 1/4 sec. J. N. T. N.R.  
     No. 277. from which a  
     Beech 16 in. dia. bears N 71° W. 14 miles dist; to  
     Sugar 6 " " " S 83° E. 19 " "  
     Same goods; Timber Sugar, Walnut, Elm.

North Orth East Bound. of su. 1. J. N. T. N.R. No.  
 277. 3rd Mar.

- 15.00 To a Brook - hills side, Lemoa S. E.  
 30.00 To a Walnut 18 in. dia. bears on the line.  
 35.00 " " edge of Woods  
 40.00 Set apart for the cor. to 1/4 sec. from which a  
     Beech 18 in. dia. bears S 82° E. 13 miles dist; to an  
     Elm 18 " " " A 1077. 25 " "  
 60.00 To a spring Lemoa East.  
 77.00 Inter section E 5° N. line 150 links North of the  
     post set by Jamie and move it to the section line  
     for the cor. to 1/8 of 8. N.R. S 142° W. from which  
     a Beech 12 in. dia. bears N 13° W. 13 miles dist; to a  
     W. Oak 34 " " " S 40° E. 23 " "  
     Same goods; Timber Sugar, a Beech,  
     April 4th 1811.

North Bound. Y

West Orth South Bound. of su. 36. J. N. T. N.R. No.  
 277. 2nd Mar.

- 40.00 Set apart for the cor. to 1/4 sec. from which a  
     Sycamore 18 in. dia. bears S 63° E. 16 miles dist; to  
     Sugar 12 " " " A 44716 " "

## P. N. J. N. R. No 2 N. 2nd Mar. (Sand.)

- 43.00 To a Brook 3 miles west Cannon N.  
 44.25 " " N. Oak 24 in. dia. Stands in the briar.  
 80.00 Set a post for the cor. to lot. 35 & 36 T. N. 8  
 R. N. 2 N. From which a  
 Beck 5 in. dia. bears S 22 E. 10 miles west; to  
 Do 12 " " N. 35 N. 15 " "  
 Good land; timber Beck Sugar, Oak, &c.
- 

West On the South Boundary of sec. 35. T. N. 8 R.  
 R. N. 2 N.

- 40.00 Set a post for the cor. to lot. 14 sec. From which a  
 Beck 15 in. dia. bears S 18 E. 13 miles west; to  
 Do 16 " " S 85 W. 13 " "  
 69.75 To a sugar 16 in. dia. Stands in the briar.  
 80.00 Set a post for the cor. to lot. 34 & 35. T. N. 8 R.  
 R. N. 2 N. From which a  
 Sugar 19 in. dia. bears South 17 miles west; to  
 Mulberry 8 " " N. 54 W. 34 " "  
 Stands rich and do good; timber Beck Sugar &  
 Poplar &c
- 

West On the South Boundary of sec. 34 T. N. 8 R.  
 R. N. 2 N.

- 32.50 To a Beck 12 in. dia. bears in the briar.  
 40.00 Set a post for the cor. to lot. 14 sec. From which a  
 Hickory 20 in. dia. bears S 68 E. 34 miles west; to  
 Do 18 " " N. 87 W. 25 " "  
 67.75 To a Hickory 12 in. dia. Stands in the briar.  
 80.00 Set a post for the cor. to lot. 33 & 34. T. N. 8 R.  
 R. N. 2 N. From which a  
 Hickory 15 in. dia. bears S 74 E. 16 miles west; to  
 Do 14 " " N. 14 W. 20 " "  
 Stands in do timber same as in the last mile.
- 

West On the South Boundary of sec. 33 T. N. 8 R.  
 31.50 To a N. Oak 30 in. dia. Stands in the briar

269

S. No. 7. T.R. N. 27 W. I.M.A. Mar. (Ind.)

- 40.00 Set apart from the cor. to  $\frac{1}{4}$  ac. from which a  
Hickory 12 in. dia. bears S 54 W. 30 inches due N.  
Walnut 18 in. n. - N 79 E. 43 in. n.  
46.00 Oak Brook 3 miles mid; corner S.  
81.00 Set apart from the cor. to Sec. 32, 133. From which a  
Burr 12 in. dia. bears S 57 E. 18 inches due N.  
Hickory 16 in. n. - N 33 W. 19 in. n.  
Good Oak Lands.
- 

West On the South Boundary of sec. 32. T. N. 8. T.R. N.  
27.

- 28.50 Oak Poplar 28 in. dia. stands in the line.  
40.00 Set apart from the cor. to  $\frac{1}{4}$  ac. from which a  
Dogwood 6 in. dia. bears N 84 E. 31 inches due N.  
Sugar 13 in. n. - West 24 in. n.  
80.00 Set apart from the cor. to Sec. 31, 133. T. N. 8. T.R. N.  
27. From which a  
Sugar 16 in. dia. bears N 49 E. 23 inches due N.  
Beech 16 in. n. - S 49 W. 23 in. n.  
Good Oak Lands.
- 

West On the South Boundary of sec. 31. T. N. 8. T.R. N.  
27. 2nd Mar.

- 17.00 Oak Brook 3 miles mid; corner S.  
40.00 Set apart from the cor. to  $\frac{1}{4}$  ac. from which a  
Sugar 14 in. dia. bears S 76 W. 13 inches due N.  
Walnut 8 in. n. - N 55 E. 20 in. n.  
50.00 Oak Brook 10 miles mid; corner S. E.  
77.00 n. n. 3 in. n. n. N.  
80.00 Set a temporary post from the cor. to Points 7 & 8.  
T.R. N. 213 W. Good land; Timber Sugar  
Oak, & Poplar.
- 

West Boundary.

North On the East Boundary of sec. 36. T. N. 7. T.R.  
N. 3 W.

T. N. 7. T. R. N. 2. W. 2<sup>nd</sup> Mer. (Ind.)

- 35.50 To a Popham 36 in. dia. Wahoo on the line  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Bush 8 in. dia. base \$42 N. 13 miles dist; to  
 Sugar 8 in. n. n. N 2 N. 16 n. ~  
 79.50 To a Brook 10 miles n. w.; corner N.  
 80.00 Set a post for the cor. to sec. 25, 136. T. N. 7. T. R.  
 N. 3 N. from which a  
 Bush 16 in. dia. base \$71 N. 13 miles dist; to  
 McOak 30 in. n. n. N 80 E. 10 a. n.  
 Heilly Oak Lands.

North On the East Branch of sec. 25. T. N. 7. T. R. N.  
 3 N.

- 22.00 To a Brook 75 miles n. w.; corner S. E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Bush 24 in. dia. base \$33 E. 20 miles dist; to  
 Do. 14 in. n. n. S 83 N. 03 ~ ~  
 80.00 Set a post for the cor. to sec. 24, 125. T. N. 7. T. R.  
 N. 3 N. from which a  
 Bush 18 in. dia. base \$56 E. 10 miles dist; to  
 Imwood Con. n. n. N 75 N. 14 n. n.  
 Goods lands; Timber Oak, and Puya.

North On the East Branch of sec. 24. T. N. 7. T. R. N.  
 2 N.

- 8.00 To a Brook 3 miles n. w.; corner S. E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 5 in. dia. base \$30 E. 5 miles dist; to  
 Do. 6 in. n. n. N 13 N. 15 n. n.  
 56.00 To a Brook 3 miles n. w.; corner N.  
 76.00 n. n. n. 3 in. ~ ~ n. n.  
 80.00 Set a post for the cor. to sec. 13 & 24 T. N. 7. T.  
 R. N. 3 N. from which a  
 B. Oak 30 in. dia. base \$18 N. 10 miles dist; to  
 Puya 9 in. n. n. n. N 56 E. 8 a. n.  
 Goods Lands; Timber Oak, Oak, Sugar to

J. N. & N. R. No. 3 M 2<sup>nd</sup> Mar. Ind.

North	On the East Boundary of Sec. 13. J. N. & N. R. No. 3 M. 2 <sup>nd</sup> Mar.
15.00	Loat Brook 10 miles mid; Lemma N.
17.00	To a Sugar 10 mi. dia. tree in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a Beech 16 in. dia. bears N. 12 E. 9 links dist; ran W. Oak 15 n n n W 12 E. 31 n ~
80.00	Set a post for the cor. to Sec. 12 & 13. J. N. & N. R. No. 3 M. from which a Maple 10 in. dia. bears S 36 E. 17 links dist; ran Sugar 12 n n n N 32 E. 17 n ~ Same dist; Juniper, Beech, Sugar, & Oak,

North	On the East Boundary of Sec. 13 J. N. & N. R. No. 3 M.
25.00	Loat Brook 50 links mid; Lemma S. E.
40.00	Set a post for the cor. to 1/4 sec. from which a Beech 15 in. dia. bears N 69 E. 12 links dist; ran Sugar 14 n n n S 7 N. 24 n ~
46.00	Loat Brook 10 miles mid; Lemma E.
80.00	Set a post for the cor. to Sec. 12 & 13 J. N. & N. R. No. 3 M. from which a Sugar 6 in. dia. bears S 58 E. 19 links dist; ran Elm 14 n n n N 80 E. 31 n Same dist

North	On the East Boundary of Sec. 1 J. N. & N. R. No. 3 M. 2 <sup>nd</sup> Mar.
6.00	Loat Spring. Lemma E.
9.00	n n Brook 5 miles mid; Lemma S. E.
40.00	Set a post for the cor. to 1/4 sec. from which a Beech 12 in. dia. bears S 83 N. 3 miles dist; ran Poplar 18 n n n N 83 E. 27 n ~
50.00	Loat Brook 6 miles mid; Lemma E.
78.50	Intersected the Township Line 13. 50 ch. East of the Imp. 7 Town Line and set a post for the cor. Town. 7. 7. 18. 8. N. W. 9 2 13 N. from which a

I No. 7 N.P. No 277. 2nd Mer. (Dava)

Hogback 6 in dia. base S 5 E. 17 miles west; to  
Maple 18 in. in dia. N 39 E. 31 in. in  
Groves lands; Lyman Rock, Sugar & Oak,  
Surveyed by  
Alexander, Volume 10. S.

### Subdivisions

North Between Sec. 35, 136 I No. 7 N.P. No 277.  
40.00 Set apart for the cor. to 1/4 sec. from which a  
Hick. 7 10 in. dia. base N 37 W. 96 miles west 10  
Sugar 18 in. in dia. N 7 E. 133 in. in  
80.00 Set apart for the cor. to Sec. 25, 26, 35, 136 from  
which a Hick. 7 12 in. dia. base S 52 E. 25 miles west  
and a Hick. 10 in. in dia. S 38 W. 39 in. in  
Sandus Hickory; Timber Sugar, Bark, Oak, & Hick  
etc.

East On a random line between Sec. 35, 136 I No. 7 N.P. No 277.

40.00 Set a trumpet post for the cor. to 1/4 sec.  
80.00 Into section the N. 8 S line 24 miles south of the  
post set for the cor. to Sec. 25, 136 I No. 7 N.P.  
No. 277. Sandus soil and timber same as the last  
mile.

West On the true line between Sec. 35, 136 I No. 7 N.P. No 277.

40.00 Set the trumpet post as the above. Next on the true line  
for the cor. to 1/4 sec. from which a  
Peach 3 in. dia. base S 42 E. 7 miles west;  
Sugar 8 in. in dia. S 56 W. 2 in. in  
80.00 To the post set for the cor. to Sec. 25, 26, 35, 136

North Between Sec. 25, 136 I No. 7 N.P. No 277.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Hick. 7 5 in. dia. base N 49 E. 9 miles west; to

S. No. 7. N.R. No. 277. 2nd Mer. (Ind.)

Height 12 mi. due. bears S39W. 13 miles west, to  
 80.00 Set apart for the cor. to Sec. 24, 25, 126 from  
 which a Sugar 10 in. dia. bears N46E. 21 miles west;  
 and a T. Walnut 12 in. - N54W. 36 in -  
 Quicksand soil and timber same as on the last mile.

East On a random line between Sec. 24 & 25. S. N. 7. N.  
 R. No. 277.

\$4.00 Log Brook 12 miles west, bears N.E.  
 40.00 Set a temp'y post for the cor. to 1/4 sec.  
 80.00 Inter section the N. & S. line 30 miles South of the post  
 set for the cor. to Sec. 24, 25, 1 N. 7. N.R. No. 277.  
 Quicksand soil and timber same as on the last mile.

West On the true line between Sec. 24, 125. S. N. 7. N.R. No.  
 277. Due to Mer.

40.00 Set the temp'y post at the arr. dist. with true line.  
 for the cor. to 1/4 sec. from which a  
 Sugar 8 in. dia. bears S51E. 11 miles west 10  
 Beech 8 in. - N26W. 14 in -  
 80.00 To the post set for the cor. to Sec. 23, 24, 25, 26.

North Between Sec. 23 & 24. S. N. 7. N.R. No. 277.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Beech 15 in. dia. bears S5E. 24 miles west 10  
 L. 10 in. - N19W. 15 in -  
 80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24. from  
 which a Sugar 10 in. dia. bears N42E. 17 miles west  
 and a L. 3 in. - S53W. 20 in -  
 Quicksand rolling; timber Ash, Oak, and Hickory

East On a random line between Sec. 13 & 24. S. N. 7. N.  
 R. No. 277.

40.00 Set a temp'y post for the cor. to 1/4 sec.  
 75.00 Log Brook 100 miles west; from the N. & S. line E.  
 80.00 Inter section the N. 13 line 18 miles South of the

D.P. of N.R. N° 2 N. 9 a. & Nov. (Ind.)

Post set for the cor. to Sub. 13 & 14 T. N° 7 N.R. N° 2 N. Sound soil made timber same as in the last miles.

- West On the tree line between Sub. 13 & 14 T. N° 7 N.R. N° 2 N.  
40.00 Set a tempt post at the avon. ditch on the tree line  
For the cor. to 1/4 sec. from which a  
P. Ash 12 in. dia. board \$177.17 timber ditch to  
Beck 15 in. - \$778.37 n. -  
80.00 To the post at for the cor. to Sub. 13 & 14 23124.

- North Between Sub. 13 & 14 T. N° 7 N.R. N° 2 N.  
16.00 To a Brook 10 miles north; Lemma.  
18.25 To a Poplar 36 in. dia. Sound on the line.  
40.00 Set a post for the cor. to 1/4 sec. From which a  
Wagon 12 in. dia. board \$58.10 timber ditch to  
Walnut 12 in. - \$5377.19 n. -  
80.00 Set a post for the cor. to Sub. 11, 12, 13 & 14 from which  
a Beck 5 in. dia. board \$5677.14 timber ditch to  
Sugar 8 in. - \$98.17 n. -  
Sound rolling; thin soil; Birch Oak, & Poplar.

- East On a random line between Sub. 12, 11, 13. T. N° 7 N.R. N° 2 N.  
40.00 Set a tempt post for the cor. to 1/4 sec.  
73.50 To a Brook 100 miles north; Lemma South.  
80.444 Intersects the N. & S. line 158 miles south of the post.  
Set for the cor. to Sub. 12, 11, 13. T. N° 7 N.R. N° 2 N.  
Sound soil made timber same as in the last miles.

- West On the tree line between Sub. 12, 11, 13. T. N° 7 N.R. N° 2 N.  
40.00 Set the tempt post at the avon. ditch on the tree line.  
For the cor. to 1/4 sec. From which a  
Elder 12 in. dia. board \$58.10 timber ditch to  
Sugar 6 in. - \$778.16 n. -

S. N. of N.R. N. 2 N. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

8044 To the first cut for the cor. to Sec. 11. 12. 13. & 14.

- North Between Sec. 11. & 12. I.N. of N.R. N. 2 N.  
40.00 Cut a part of the cor. to 1/4 sec. from which a  
Bldg 8 in. dia. bears N 60 E. 25 miles dist; to a  
Sugar 8 in. - S 72 W. 20 n -  
56.00 Log Brook 5 miles mid; leaves S.W.  
69.50 " " " 8 " " " - S.W.  
80.00 Cut a part of the cor. to Sec. 1. 2. 11. 12 from which a  
Sugar 4 in. dia. bears S 85 E. 18 miles dist; to  
Q. 4 " " " N 44 W. 18 " "  
Lands foil and timber same as in the last mile.

East On a Random line between Sec. 10-12 T. N. 7 N.  
R. N. 2 N.

- 40.00 Cut a temp. part of the cor. to 1/4 sec.  
75.00 Log Brook 100 miles mid; leaves E.C.  
79.86 Into later the N.E. line 250 miles South of the  
part set for the cor. to Sec. 1. & 12. I.N. of N.R. 2 N.  
Lands foil and timber same as in the last mile.

West On the true line between Sec. 1. & 12. I.N. 7 N.  
R. N. 2 N.

- 39.93 Cut the temp. part at the over. dist in the true line  
of the cor. to 1/4 sec. from which a  
Sugar 8 in. dia. bears N 11 E. 5 miles dist; to  
Bldg 12 " " " S 23 E. 13 " "  
79.86 To the first cut for the cor. to Sec. 1. 2. 11. 12.

- North Between Sec. 1. & 2. I.N. of N.R. N. 2 N.  
29.50 Brook 10 miles mid leaves E.  
40.00 Cut a part of the cor. to 1/4 sec. from which a  
Bldg 12 in. dia. bears N 45 E. 8 miles dist; to  
Bldg 4 " " " S 8 W. 17 " "  
71.42 Into later the <sup>Boundary</sup> N.E. line of I.N. of N.R. N. 2 N.  
70 miles East of the part set for the cor. to Sec.

J. N. 7. N.H. N. 2 M. 2<sup>nd</sup> Mar. Ind.

35, & 36. J. N. 8. N.H. N. 2 M. and set apart for the  
cn. to L. 1. 12 from which a  
77 Oak 18 in. dia. base N 76 E. 13 links dist. to  
Sugar 4 n n S 19 W. 93 n n  
Same as on the last mile.

North Between L. 34.135. J. N. 7. N.H. N. 2 M.  
37.50 Trap Brook 10 links mid; corner N.  
40.00 Set apart for the cn. to 1/4 sec. from which a  
72 buck 18 in. dia. base S 14 W. 82 links dist. and so  
No 8 n n N 30 W. 17 n n  
80.00 Cut apart for the cn. to L. 26. 27. 34.135 from which a  
77 Oak 10 12 in. dia. base N 52 E. 13 links dist. to  
Pump 10 n n S 42 W. 7 n n  
Same soil and timber same as on the last mile.

East On a random line between L. 26.135 & J. N. 7. N.  
N. 2 M.  
40.00 Set a trap set at the aver. dist. on the tree line.  
80.00 Into & across the N 73 line 18 miles North of the first  
Set for the cn. to L. 25. 26. 35, 036.  
Same soil and timber same as on the last mile.

West On the tree line between L. 26.135. J. N. 7. N.H.  
N. 2 M.  
40.00 Set the trap set at the aver. dist. on the tree line  
for the cn. to 1/4 sec. from which a  
72 buck 12 in. dia. base N 46 W. 8 links dist. to  
No. 12 n n S 59 E. 24 n n  
80.00 To the first set for the cn. to L. 26. 27. 34.135.

North Between L. 26.127. J. N. 7. N.H. N. 2 M.  
40.00 Set a post for the cn. to 1/4 sec. from which a  
Hognose 14 in. dia. base N 17 E. 8 links dist. to  
Heights 10 n n S 17 W. 27 n n  
80.00 Set a post for the cn. to L. 22. 03.26.127 from

D. No. 7 N.R. N. 27N. Quad. Mar. (Ind.)

which a Heickel 7 Cm. air. bore. At 27N. 17 miles due  
west of Buck Gap on a S20W. 24 a -  
Landsail made timber same as in the last mile.

East Between Sec. 23, 126. On a Random line. D. No. 7.  
N.R. N. 27N.

40.00 Set a trap. 7 post for the cor. to 1/4 sec.  
80.00 Int. later the N.O. 3 line 18 miles South of the  
post set for the cor. to Sec. 23, 24, 25, 26.  
Landsail made timber same as in the last mile.

West On the trail between Sec. 23, 126. I.M. 7 N.R. N.  
N. 27N.

40.00 Set the trap. 7 post at the over. due north from line  
of the cor. to 1/4 sec. From which a  
Heickel 10 in. air. bore N76W. 28 miles due; 10  
D. 12 a - S61E. 16 a -  
80.00 To the post set for the cor. to Sec. 22, 23, 26, 127.

North Between Sec. 22, 123. I.M. 7 N.R. N. 27N.

24.00 Trap Spring Brook 4 miles west: Loma M.  
40.00 Set a post for the cor. to 1/4 sec. From which a -  
S (Bearings omitted)

80.00 Set a post for the cor. to Sec. 14, 15, 22, 123. From which  
a Heickel 10 in. air. bore N62W. 28 miles due; 10  
D. 8 a - N46E. 31 a -  
Landsail made timber same as in the last mile.

East On a Random line between Sec. 14, 123. I.M. 7 N.R. N.  
N. 27N.

40.00 Set a trap. 7 post for the cor. to 1/4 sec.  
80.00 Int. later the N.O. 3 line 24 miles South of the post.  
Set for the cor. to Sec. 13, 14, 23, 124.  
Landsail made timber same as in the last mile; I.M.  
7 N.R. N. 27N. Quad. Mar. Ind.

T. N. 7. R. R. No. 2 W. 2<sup>nd</sup> Mer. (Ind.)

- West On the true line between Sec. 14 & 23. T. N. 7. R.  
R. No. 2 W.
- 40.00 Set a trap for the cor. to 1/4 sec. at the ave.  
dust on the true line. From which  
W. Oak 13 mi. due bears N 79° W. 5 miles dist; to  
Do 10 n. n. S 53° E. 15 n. —  
80.00 To the post set for the cor. to Sec. 14, 15, 22, 123.
- 

- North Between Sec. 14 & 15. T. N. 7. R. R. No. 2 W.
- 40.00 Set a post for the cor. to 1/4 sec. from which  
W. Oak 15 mi. due bears N 57° W. 2.5 miles dist; to  
Beech 18 n. n. S 71° W. 20 n. —  
80.00 Set a post for the cor. to Sec. 10, 11, 14 & 15 from which  
a Beech 10 mi. due bears S 63° W. 6 miles dist; to  
Poplar 25 n. n. N 9° E. 17 n. —  
Same soil and timber same as on the last mile.
- 

- East On a random line between Sec. 11 & 14. T. N. 7. R.  
R. No. 2 W.
- 40.00 Set a trap for the cor. to 1/4 sec.
- 80.00 Intersected the N. & S. line 80 miles back of the  
post set for the cor. to Sec. 11, 12, 13 & 14  
Same soil and timber same as on the last mile.
- 

- West On the true line between Sec. 14 & 14. T. N. 7. R.  
R. No. 2 W.
- 40.00 Set the trapping post on the ave. dust on the true line  
from the cor. to 1/4 sec. from which  
W. Oak 15 mi. due bears S 57° E. 24 miles dist; to  
Beech 12 n. n. S 78° W. 11 n. —  
80.00 To the post set for the cor. to Sec. 10, 11, 14, 15.
- 

- North Between Sec. 10 & 11. T. N. 7. R. R. No. 2 W.
- 40.00 Set a post for the cor. to 1/4 sec. from which  
Beech 10 mi. due bears S 23° W. 14 miles dist; to  
Do 6 n. n. S 52° W. 8 n. —

S. N. T. A.R. No 2 N. 2nd Mar. (cont'd)

80.00 Set apart for the cor. to  $\frac{1}{4}$  sec. Lat. 2, 3, 10, 11. From which a Beach 10 in. dia. brace N. 30° 47'. 15 links dist; to Right 15 n. n. N. 71° E. 17 n. n. Sand soil and timber same as on the last mile.

**East** On a random line between Lat. 2 & 11. T. N. 7 S. R. N. 2 N.

40.00 Set a temporary post on the cor. to  $\frac{1}{4}$  sec.  
78.60 Intersect the A.T.B. line 11D South of the first set  
for the cor. 1, 2, 11, 12. Sand soil and timber same  
as on the last mile.

**West** On the true line between Lat. 2 & 11. T. N. 7 S. R. N.  
2 N. 2nd Mar.

39.30 Set the temporary post at the door dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Beach 3 in. dia. brace S. 82° 44' 4 links dist; to  
Do. 6 n. n. N. 78° E. 7 n. n.  
78.60 To the first set for the cor. to Lat. 2, 3, 11, 12

**North** Between Lat. 2, 13, T. N. 7, S. R. N. 2 N.

40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. From which a  
Beach 10 in. dia. brace S. 68° E. 19 links dist; to  
Do. 12 n. n. S. 45° W. 17 n. n.  
79.50 Intercept the A.T.B. boundary of T. N. 7 S. R. N. 9  
47.2 m.s. Mar. 93 links dist. of the first set for the cor.  
to 34135 T. N. 8 S. R. N. 9 N. and set a post for the  
cor. to Lat. 2, 13. From which a  
Hubberry 7 in. dia. brace S. 81° W. 16 links dist; to  
Dogwood 3 n. n. S. 44° E. 18 n. n.  
Sand soil and timber same as on the last mile

**North** Between Lat. 33, 134, T. N. 7, S. R. N. 2 N.

40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. From which a  
Sugar 10 in. dia. brace N. 24° E. 19 links dist; to  
Do. 6 n. n. S. 9 W. 12 n. n.

## D. N. 7 A.R. N. 2 W. 2nd Mer. (Ind.)

- 71.00 Trap Spring; Lema Nest.  
 80.00 Set apart from cor. to Lat. 27, 28, 33, 134 from which  
 a Beck 10 in. dia. bears N 18 E 14 miles west, Va.  
 Do. 5 m n S 24 E. 19 m —  
 Large Neilly timber Oak, 5 Miles N. S. Dog woods  
 Cuttings & Neilly

- East On a random line between Lat. 27, 034. I. N. 7.  
 A.R. N. 2 W.  
 40.00 Set a trap post for the cor. to '4 sec.  
 81.18 Intersect the A. 13 line at the post set for the  
 cor. to Lat. 26, 27, 34, 135  
 Sand soil and timber same as on the last mile.

- West On the trail between Lat. 27, 034. I. N. 7 N.  
 A.R. N. 2 W.  
 40.00 Set the trap post at the ave. dist on the trail  
 for the cor. to '4 sec. from which a  
 W. Oak 20 in. dia. bears East 29 miles west, 1 a.  
 Hickory 10 m n S 60 T. 13 m —  
 81.18 To the post set for the cor. to Lat. 27, 28, 33, 134

- North Pitman Lat. D. 7, 028. I. N. 7. A.R. N. 2 W.  
 40.00 Set apart from the cor. to '4 sec. from which  
 Sugar Cane dia. bears S 53 T. 11 miles west, Va.  
 Do. 5 m n S 51 E. 15 m —  
 40.50 Trap Spring branch 4 miles west Lema Nest.  
 80.00 Set apart from the cor. to Lat. 21, 22, 27, 28. from which  
 a Beck 12 in. dia. bears N 36 E. 30 miles west, Va.  
 Sugar 7 m n S 15 T. 18 m —  
 Sand soil and timber same as on the last mile.

- East On a random line between Lat. 22, 027. N. 7 N.  
 A.R. N. 2 W.  
 40.00 Set a trap post for the cor. to '4 sec.  
 80.00 Intersect the A. 13 line 20 miles South of the post.

\* All the line between Lat. 22, 027  
 40.00 ft post at cor. dist. Sugar Cane dia. 188 E 44°  
 Legend. 3. " 63 T. 18

J. N. 7. N. R. N. D. W. 2<sup>nd</sup> Mar. 1912

Set for the cor to Sat. 21. 22. 27. & 28.

Sands soil and timber some seen the last miles

North Between Sat. 21. & 22. J. N. 7. N. R. N. D. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Maple 10 in dia. tree 45 E. 32 links dist. to a  
Birch 10 in a N 42 W. 15 in a

80.00 Set a post for the cor. to Sat. 15. 16. 21. & 22. from which a  
Sugar 10 in dia. tree 48 E. 28 links dist. to a  
40. 10 in a N 38 W. 5 in a  
Sands soil and timber some seen the last miles.

East On a random line between Sat. 15. & 22. J. N. 7. N. R.

N. D. W. 2<sup>nd</sup> Mar.

40.00 Set a temp. 7 post for the cor. to 1/4 sec.

79.56 Intersected the N. & S. line 29 links South of the  
post set for the cor. to Sat. 14. 15. 22. & 23.

Sands soil and brushy: Timber Oak & Wal.

West On the true line between Sat. 15 & 22. J. N. 7. N. R.  
N. D. W.

39.78 Set the temp. 7 post at the cross creek on the true line  
for the cor. to 1/4 sec. from which a  
Dogwood 3 in. dia. tree 826 W. 8 links dist. to a  
W. Oak 18 in a N 10 W. 19 in a

79.56 To the post set for the cor. to 15. 16. 21. & 22.

North Between Sat. 15. & 16. J. N. 7. N. R. N. D. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Birch 18 in. dia. tree N 24 E. 9 links dist. to a  
Sugar 8 in a N 45 W. 24 in a

80.00 Set a post for the cor. to Sat. 9. 10. 15. & 16. from  
which a Walnut 10 in. dia. tree N 70 W. 10 links dist.  
and a Sugar 10 in a N 39 E. 11 in a  
Sands soil and timber some seen the last miles  
J. N. 7. N. R. N. D. W. 2<sup>nd</sup> Mar.

## I.W.T. N.R. N° 277. 2nd Mer. (Ind.)

East On all random line between Lst. 11 & 15. I.W.T.  
N.R. N° 277.

- 40.00 Set a temp't post on the cor. to 1/4 sec.  
79.58 Into section the N. & S line 50 miles North of the  
post set for the cor. to Lst. 10. 11. 14. 15.  
Sand soil and timber same as in the last mile.

West On the true line between Lst. 10 & 15. I.W.T. N.  
R. N° 277.

- 39.79 Set the temp't post at the over ditch on the true line  
for the cor. to 1/4 sec. from which  
from 12 mi. W. line between N. & S. 28 miles north to  
Hogwood 4 mi. n - \$47.77. 26 a -  
79.58 To the post set for the cor. to Lst. 9. 10. 15. 16.

North Between Lst. 9 & 11. I.W.T. N.R. N° 277.

- 40.00 Set a post on the cor. to 1/4 sec. from which a  
Cherry 4 in. dia. tree N. 8 E. 11 miles north to  
Poplar 6 a n - \$10.77 16 a -  
81.00 Set a post for the cor. to Lst. 3 4. 9. 10. from  
which a T. Oak 30 in. dia. tree \$76 E. 21 the  
dist. to W. Oak 20 a n - West 20 a -  
Sand soil and timber same as in the last mile

East On all random line between Lst. 3 & 10. I.W.T.  
N.R. N° 277.

- 40.00 Set a temp't post on the cor. to 1/4 sec.  
79.97 Into section the N. & S line 110 miles N. of the  
post set for the cor. to Lst. 2 3. 10. 11.  
Sand soil and timber same as in the last mile

West On the true line between Lst. 3 & 10. I.W.T.  
N.R. N° 277.

- 39.98 Set the temp't post at the over ditch on the true  
line for the cor. to 1/4 sec. from which a  
T. Oak 15 in. dia. tree \$10 E. 21 miles dist. to

D<sup>o</sup> N<sup>o</sup> 7. M.R. 1<sup>o</sup> D.Y. 2<sup>nd</sup> Mar. (Ind.)

and a few — in dry. bone      14 links dist.

North Between S.W. 34 & N<sup>o</sup> 7. N.R. N<sup>o</sup> 277.  
40.00 Set a post for the cor. to 1/4 sec. from which a  
Maple 18 in. dia. bone S12 E. 38 links dist to  
Knick. 4 a n n S35 W. 11 n n  
79.44 Intersets the N. Normal of T. N<sup>o</sup> 7. M.R. N<sup>o</sup> 2  
W. 238 links East of the post set for the cor. to sec.  
33 & 34. S. N<sup>o</sup> 8 M.R. N<sup>o</sup> 2 W. and set a post for  
the cor. to sec. 34 from which a  
Knick 8 in. dia. bone N34 W. 20 links dist to  
M. Oak 12 a n n North 23 n n  
Sand and timber same as on the last mile.

North Between S.W. 32 & 33. S. N<sup>o</sup> 7. M.R. N<sup>o</sup> 277.  
40.00 Set a post for the cor. to 1/4 sec. from which a  
Poplar 18 in. dia. bone S61 E. 14 links dist to  
Beech 6 a n n N78 W. 13 n n  
80.00 Set a post for the cor. to sec. 28, 29, 32 & 33 from  
which a Beech 10 in. dia. bone N9 E. 3 links dist  
and a Dogwood 8 a n n S57 E. 33 n n  
Sand soil and timber same as on the last mile.

East On a narrow line between Sec. 28 & 33. S. N<sup>o</sup> 7. M.  
R. N<sup>o</sup> 277.

40.00 Set a temporary post for the cor. to 1/4 sec. of  
80.18 Intersets the N. of line 17 miles South of the post  
set for the cor. to sec. 27, 28, 33, 134  
Sand soil and timber same as on the last mile.

West In the true line return sec. 27 & 33 S. N<sup>o</sup> 7. M.  
R. N<sup>o</sup> 277.

40.00 Go the true post at the cor. Post on the true  
line for the cor. to 1/4 sec. from which a  
Sycamore 18 in. dia. bone S60 E. 9 links dist to  
Beech 4 a n n N46 E. 11 n n

I No. 1. H.H. N. 2 W. 2<sup>nd</sup> Mar. Ind.

80.00 To the first lot for the cor. to Sec. 28. 29. 32 & 33.

- North Between Sec. 28. & 29. I No. 7. H.P. N. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 12 in dia. tree N 59° E. 27 miles dist. to  
Brook 10 in a n a 47° E. 11 n a  
80.00 Set a post for the cor. to Sec. 20. 21. 28. 129 from  
which Brook 8 in dia. tree S 48° W. 15 miles dist.  
and a 15 in a n a N 12° W. 31 a a  
Sand soil and timber same as on the last mile.

- East On a Random line between Sec. 21 & 23. I. P.  
N. 2 W.  
40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. for  
80.00 Intersects the N & S line 10 miles North of the  
post lots for the cor. to Sec. 21. 22. 27 & 28  
Sand soil and timber same as on the last mile

- West On the true line between Sec. 21 & 28 I No. 7 N.  
W. N. 2 W.  
40.00 To the temporary post at the arr. dist. on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 13 in dia. tree N 38° W. 7 miles dist. to  
a 10 in a n a S 14° E. 17 a a  
80.00 To the first lot for the cor. to Sec. 20. 21. 28. 129.

- North Between Sec. 20. & 21. I. No. 7. H.P. N. 2 W.  
1/30 Set a Brook 15 miles mid course W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Hickory 15 in dia. tree S 88° E. 39 miles dist. to  
Sugar 5 in a n a N 88° W. 19 a a  
80.00 Set a post for the cor. to Sec. 16. 17. 20 & 21. from  
which an Elm 15 in dia. tree N 87° E. 44 miles dist.  
and a W. Oak 30 in a n a S 87° W. 20 a a  
Sand soil and timber same as on the last mile.  
I. No. 7. H.P. N. 2 W. 2<sup>nd</sup> Mar.

## T.M. &amp; N.R. No 2 N. 2nd M. (End.)

- East On a Random line between S. 16 & 21 T. M. & N.  
N. R. No 2 N.
- 31.00 To a Brook 19 miles west; from which a  
40.00 Set a temporary post for the con. to 1/4 mi.  
80.00 Intersected the N. 18 line 12 miles North of the  
post set for the con. to S. 15. 16. 21 & 22.  
Sands soil made timber some except last mile.

- West On the town line between S. 16 & 21 T. M. & N. R.  
No 2 N. 2nd M.
- 40.00 Set the temporary post at the corner of the town line  
for the con. to 1/4 mi. from which a  
Wagon 12 mi. due West \$73.77. 4 miles west; or  
20. 44 n. n. \$39.8. 12 n. n.  
80.00 To the first set post the con. to S. 16. 17. 20 & 21.

- North Between S. 16 & 17 T. M. & N. R. No 2 N.  
40.00 Set a post for the con. to 1/4 mi. from which a  
W. Oak 18 in. dia. 14 miles \$30.6. 15 miles east; or  
Buck 44 n. n. \$65.97. 25 n. n.  
80.00 Set a post for the con. to S. 8. 9. 16. & 17. From  
which a W. Oak 18 in. dia. 14 miles \$18.6. 15 miles east  
and a Dogwood 3 n. n. \$44.97. 14 n. n.  
Sands soil made timber some except last mile.

- East On a Random line between S. 9 & 16 T. M. & N.  
R. No 2 N.
- 40.00 Set a temporary post for the con. to 1/4 mi.  
80.12 Intersected the N. 18 line 48 miles south of the  
post set for the con. to S. 9. 10. 15. & 16.  
Sands soil made timber some except last mile.

- West On the town line between S. 9 & 16 T. M. & N.  
R. No 2 N.
- 40.06 Set the temporary post at the corner of the town line  
for the con. to 1/4 mi. from which a

## J. N. 7 N.R. M. 2 W. 2nd Mer. (End.)

Buck 18 in. dia. base N 45 E. 8 miles dist. 10  
 # Oak 15 in. dia. base S 22 W. 28 n. n.  
 80.12 To the post set for the east end. 8.9. 16.0 17.

North Between Ls. 8.9. 7 N. 7. N.R. M. 2 W.  
 40.00 Set apart for the cor. to 1/4 sec. from which a  
 Maple 10 in. dia. base S 20 E. 26 miles dist. 10  
 Barn 8 n. n. n. N 66 E. 23 n. n.  
 80.00 Set apart for the cor. to Sec. 4. 5. 8. 9. from which a  
 Barn 3 in. dia. base S 45 W. 9 miles dist. 10  
 Ll. 10 n. n. n. N 61 E. 12 n. n.  
 Sand hill and timber same as on the last mile.

East On a random line between Ls. 11 & 9. c. 7 N. 7. N.  
 R. M. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.00 Intersected the N. S. line 2.7 miles North of the post  
 set for the cor. to Sec. 3. 4. 9. 10.  
 Sand hill and timber same as on the last mile.

West On the true line between Ls. 4.5. 7 N. 7. N.R.  
 M. 2 W.  
 40.00 Set the temporary post at the over cast on the true line.  
 On the cor. to 1/4 sec. from which a  
 # Oak 20 in. dia. base N 42 W. 25 miles dist. 10  
 Poplar 10 n. n. n. S 18 W. 30 n. n.  
 80.00 To the post set for the cor. to Sec. 4. 5. 8. 9.

North Between Ls. 4.5. 7 N. 7. N.R. M. 2 W.  
 22.00 To a spruce 18 in. dia. random line.  
 40.00 Set apart for the cor. to 1/4 sec. from which a  
 Maple 15 in. dia. base S 26 W. 9 miles dist. 10  
 # Oak 24 n. n. n. N 40 W. 24 n. n.  
 80.05 Intercepted the N. S. boundary of 7 N. 7. N.R. M. 2 W.  
 17.5 miles East of the first set for the cor. to Ls. 3.2. 1  
 3.3. 7 N. 8 N.R. M. 2 W. and set apart for the

I No. 7. N.R. N. 277. 2nd Mer. Ind.

cut to Lat. 40° 5' from which

Gum 15 in. dia. base N 65 E. 33 miles north and a  
Hickory 15 in. n. — S 88 W. 58 n. —

Sand soil and timber same as in the last mile.

- North Between Lat. 31. & 32. I No. 7. N.R. N. 277.  
40.00 Cut a part of the cor. to 1/4 sec. from which a  
W. Oak 24 in. dia. base N 26 E. 13 miles north to a  
Buck — n. — S 21 W. 13 n. —  
80.00 Cut a part of the cor. to Sec. 29, 30, 31 & 32 from  
which a Buck 6 in. dia. base S 59 E. 17 miles west  
and a Gum 10 in. n. — S 20 E. 16 n. —  
Sand soil and timber same as in the last mile.

- East On a line between Lat. 29. & 30. I No. 7  
N.R. N. 277.  
40.00 Cut a part of the cor. to 1/4 sec.,  
80.12 Introduce to the 1st line 12 miles south of the  
first cut for the cor. to Sec. 28, 29, 32, 33.  
Sand soil and timber same as in the last mile.

- West On the true line between Lat. 29. & 32. I No. 7 N.  
R. N. 277.  
40.00 Cut a part at the over. ditch on the true line for the  
cor. to the 1/4 sec. from which  
Sugar 6 in. dia. base N 48 E 34 miles north to  
W. Oak 20 in. n. — N 75 W. 24 n. —  
80.12 To the first cut for the cor. to Sec. 29, 30, 31 & 32.

- North Between Lat. 29. & 30. I No. 7. N.R. N. 277.  
40.00 Cut a part of the cor. to 1/4 sec. from which a  
W. Oak 12 in. dia. base S 45 W. 14 miles north to a  
Buck 7 in. n. — S 38 E. 5 n. —  
Cut a part of the cor. to 1/4 sec. 19, 20, 29 & 30.  
from which a Sugar 8 in. dia. base N 35 E 14 miles  
north; and a Maple 15 in. n. — S 33 E. 31 miles north.

C. N. J. N.H. N. 2 W. 2nd Mer. Sec 5

Sand soil with loam; Timber Sugar, Poplar and Oak.

East On a Random line between Lat. 20. + 29. T. N.  
N. H. N. 2 W.

- 40.00 Set a temporary post for the cor. to 1/4 sec.  
80.00 Into section the N. & S. line 12 miles S. of the first set.  
On the cor. to Lat. 20. 21. 28. + 29.  
Sand soil and timber same as in the last mile.

West On the true line between Lat 20. + 29. T. N. 7th  
N. H. N. 2 W.

- 40.00 Set the temporary post at the cor. close on the true line  
from the west to 1/4 sec. from which  
W. Oak 40 m. dia. tree West 2 miles east;  
80.00 To the first cut for the cor. to Lat. 19. 20. 29. + 30.

North Between Lat. 19. & 20. T. N. 7. N.H. N. 2 W.

- 20.50 Iron Brook 21 miles wide; Leman S. Y. R.  
40.00 Set a post for the cor. to 1/4 sec. from which  
W. Oak 25. m. dia. tree N. 15° E. 12 miles east; 10  
Bush 6 m. m. \$816.18 n. n.  
80.00 Set a post for the cor. to sec. 17. 18. 19. & 20. from which  
W. Maple 8 m. dia. tree \$637.7. 3 miles east; 10  
Bush 15 m. m. \$618.31 n. n.  
Sand soil and timber same as in the last mile.

East On a Random line between Lat. 17. & 20. T. N. 7. N.  
N. H. N. 2 W.

- 40.00 Set a temporary post for the cor. to 1/4 sec.  
80.00 Into section the N. & S. line 12 miles S. of the first set.  
On the cor. to Lat. 17. 20. & 21.  
Sand soil and timber same as in the last mile.

West On the true line between Lat. 17. & 20. T. N. 7. N.  
N. H. N. 2 W.

## J. N. T. R. M. 277. 2nd Mar. (Ind.)

40.00	Set the trap & post at the arr. dist on the tree line for the cor. to 1/4 sec. from which Sugar 10 in. dia. bears N 53 W. 18 miles dist; to Woods 4 in. n. - S 12 E. 30 n. - 80.00 To the post set for the cor. to sec. 17. 18. 19. & 20.
-------	---

North	Between Sec. 7. & 18 J. N. T. R. M. 277.
40.00	Set the post for the cor. to 1/4 sec. from which a Dogwood 3 in. dia. bears S 13 W. 4 miles dist & Sugar 12 in. n. - N 45 E. 57 n. - 80.00 Set a post for the cor. to sec. 7. 8. 17. & 18 from which a Dogwood 3 in. dia. bears S 56 W. 17 miles dist & a Buck 8 in. n. - S 67 E. 20 n. - Same soil and timber same as in the last mile

East	On a random line between Sec. 8. & 17. J. N. T. R. M. 277.
40.00	Set a trap & post for the cor. to 1/4 sec.
80.00	Installate the N & S line 134 miles North of the posts set for the cor. to sec. 8. 9. 16. & 17. Same soil and timber same as in the last mile.

West	On the tree line between Sec. 8. & 17. J. N. T. R. M. 277.
40.00	Set the trap & post at the arr. dist on the tree line for the cor. to the 1/4 sec. from which a W Oak 20 in. dia. bears N 32 W. 24 miles dist; to Dogwood 4 in. n. - S 3 E. 19 n. - 80.00 To the post set for the cor. to sec. 7. 8. 17. & 18.

North	J. N. T. R. M. 277.
40.00	Set a post for the cor. to 1/4 sec. from which a Gum 5 in. dia. stands. N 84 E. 16 miles dist; to Sugar 10 in. n. - N 58 E. 24 n. - 73.50 To a W Oak 15 in. dia. stands on the line.
80.00	Set a post for the cor. to sec. 5. 6. 7. & 8. from which

J. No. 7. A.Y.R. No. 277. Dads. Mar. Ind.

W. Oak 12 mi. due west 42 N. 8 miles dist; to  
Rock 21 n - - Ab 4 N. 24 a -  
Sand soil and timber same as on the last mile.

**East** From random line bottom Sat. 5.18. J. No. 7.  
A.Y.R. No. 277

40.00 Set a trap 1/4 east of the cor. to 1/4 sec.  
80.27 Into section the N. & S. line 1/4 miles South of the  
first set for the cor. to sec. 4. 5. 8. 9.  
Sand soil and timber same as on the last mile.

**West** Into tree line between Sat. 5.18. J. No. 7. A.Y.R.  
No. 277.

40.13 Set the trumpet part at the over cut in the tree line  
from the cor. to 1/4 sec. from which a  
Gum 10 in. dia. base 189 N. 23 miles dist; to  
10. 6 n - - 411 E. 24 miles dist;  
80.27 To the part set for the cor. to Sat. 5.6. 7. 8.

**North** Between Sat. 5.6. 7. A.Y. 7. A.Y.R. No. 277.

45.00 Set a part of the cor. to 1/4 sec. from which a  
Gum 30 in. dia. base 489 E. 25 miles dist; to  
10. 6 n - - 163 N. 13 - -  
71.36 To a sugar 10 in. dia. stands on the line.  
79.54 Into section the N. Boundary of J. No. 7. A.Y.R. No.  
277. 186 miles East of the first set for the cor. to  
Sat. 31. 139 J. No. 8 A.Y.R. No. 277. and set a part  
of the cor. to Sat. 5.16. from which  
Sugar 13 in. dia. base 557 E. 10 miles dist; to  
10. 8 n - - 1120 E. 9.3 - -  
Sand soil and timber same as on the last mile.

**West** Between Sat. 6.17. J. No. 7. A.Y.R. No. 277.

21.20 To Rock 12 mi. dia. stands on the line  
35.00 To a Brook 10 miles dist; Lemurie South.  
46.00 Set a part of the cor. to 1/4 sec. from which a

T.M. 7 N.R. M. 277. 2<sup>nd</sup> Mer. (Ind.)

7/18

Sugan 18 m. NW. bears S 8 E. 7 miles due; then  
Sugan 10 m. N. N. E. Then 20 m. ~  
Intersected the West Branch of T.M. 7 N.R. M. 277  
M. 16 1/2 miles South of the post set on the cor. to  
Sec. 1 & 12 T.M. 7 N.R. M. 377. and set a post  
on the cor. to Sec. 6 & 7 from which a  
Buck 5 m. NW. bears S 9 W. 15 miles due; then  
Up 15 m. N. N. E. 15 miles due; then  
Sand soil and timber same as on the last mile.

West  
40.00

Potowm Sec. 7. 218. T.M. 7 N.R. M. 277.  
Set a post for the cor. to 1/4 sec. from which a  
Buck 8 m. NW. bears N 41 W. 14 miles due; then  
Up 14 m. N. N. E. 160 E. 17 m. ~

6/20  
7/13.

To a Sugan 15 m. NW. bears N. N. E.  
Intersected the West Branch of T.M. 7 N.R. M. 277  
5 3 miles South of the post set for the cor. to Sec.  
12 & 13 T.M. 7 N.R. M. 377. and made the cor.  
on Sec. 7. 218. in a Sugan 12 m. NW.  
Sand soil and timber same as on the last mile.

West  
40.00

Potowm Sec. 18. 219. T.M. 7 N.R. M. 277.  
Set a post for the cor. to 1/4 sec. from which a  
Sugan 12 m. NW. bears N 13 W. 7 miles due; then  
Up 5 m. N. N. E. 184 W. 9 m. ~

6/20  
7/14

To a Spring lemma S.W.  
Intersected the West Branch of T.M. 7 N.R. M. 277.  
60 miles South of the post set on the cor. to Sec. 13 &  
24 T.M. 7 N.R. M. 377. and set a post for the cor.  
to Sec. 18 & 19. from which  
Buck 35 m. distance N 26 E. 4 miles due; then  
Buck 12 m. N. N. E. 28 W. 30 m. ~  
Sand soil and timber same as on the last mile.

West

On the true line Potowm Sec. 19 & 30 T.M. 7 N.R.  
M. 277. 2<sup>nd</sup> Mer. Ind.

292

T. N. 7. R. N. 2 W. 2nd Mer. Ind.

- ,8.50 Ton Brook 21 miles from Lewes I.W.  
40.00 Lot a part of the cor. to 1/4 sec. from which a  
Sugar 12 in. dia. tree 362 E. 14 miles dist 10  
do 4 " " 179 W. 5 " "  
6.9.44 Intersected the West Boundary of T. N. 7. R. N. 2  
W. 121 miles North of the first lot for the cor. to lot  
24 & 25. T. N. 7. R. N. 3 W. made lot as part of  
the cor. to lots 19 & 30. from which a  
Sugar 9 in. dia. tree 369 E. 20 miles dist 10  
Cotton 5 " " 139 E. 30 " "  
Soil and timber same as in the last one.

- 
- West Between lot 30 & 31 T. N. 7. R. N. 2 W.  
40.00 Lot a part of the cor. to 1/4 sec. from which a  
Maple 8 in. dia. tree 382 E. 18 miles dist 10  
Dogwood 6 in. 336 W. 14 " "  
70.00 To the first lot for the cor. to lot 25 & 36. T. N. 7. R.  
N. 3 W. and made cor. to cor. to lot 30, 13 & T. N. 7.  
R. N. 2 W. Same bearing for both cor.  
Soil and timber same as in the last one.
- 

Surveyed by  
Arthur Hennic.  
Deputy Surv'y

I certify that the foregoing transcript of the file  
Notes of Township No 7. North of Range N.  
2 West 2nd Mer. Indiana, has been compared  
with the Original in this Office and found  
to be correct.

Surveyor General's Office  
Cincinnati Dec. 20. 1839 J. Q. S. Reaves  
S. G.